

Kubota



KUBOTA ZERO-TURN DIESEL GARDEN MOWER


G

GZD15

A hybrid zero-turn mower that combines ultra-maneuvrability with ultra-efficient, Two-Blade Glide Cut rear discharge for higher productivity.



*This information is sourced from overseas and may not necessarily apply locally. It is essential that you confirm specifications and other information with your local Kubota dealer.


A scenic garden with a stone well in the foreground, a waterfall in the middle ground, and a church in the background. The well is made of stacked stones and has a black wrought-iron post with a decorative top. The waterfall is made of stacked stones and flows into a pond. The church has a tall steeple and is surrounded by trees and bushes. The sky is overcast.

We combined the best of both worlds to create a zero-turn mower that delivers incredible Efficiency, Endurance, and Ergonomics.

**KUBOTA ZERO-TURN
DIESEL GARDEN MOWER**

GZD 15

The ultra-maneuvrability of our zero-turn mower. The ultra-efficient operation of our rear-discharging, Two-Blade, Glide Cut mower. We combined these two essential features with a long list of others to create an economical, high-performance zero-turn mower — the hybrid Kubota GZD15. And with its ability to deliver a high level of efficiency, endurance, and ergonomics, it's no wonder the GZD15 has become the most popular choice of both professionals and non-professionals alike.



The GZD15 zero-turn mower. Lets you

Efficiency

Impressive results quickly and economically.

The Glide Cut Rear-Discharge System

Unlike other side-discharging collecting mowers that use a power-draining turbine, by employing Kubota's unique Glide Cut System, our GZD15 smartly utilises its two blades to cut, and then channel directly into the integrated rear grass catcher.



The Zero-Turn System

For incredibly nimble navigation, especially in and around flowerbeds, trees, and hedges, the Zero-Turn System provides the GZD15 with an easy-to-operate, dual-levered steering that has a 360-degree turning radius.



High Traveling Speed

With a top travel speed of 13.5 km/h, you'll cruise from job to job faster. And thanks to the GZD15 zero-turn mower's high cutting performance and fuel-efficient 15-hp diesel engine, you can finish your day's job faster than ever.

Mower Lifting Height

By utilising a pedal-operated hydraulic lift, the mid-mount mower can be quickly raised up to 135mm to provide higher ground clearance, and lowered just as easily.



Large Volume Grass Collector

You'll spend less time dumping grass and more time cutting it with our generously-sized, 400-litre grass collector.

Parallel-Link Grass Collector Lifting System

With the high dump (HD) model, its convenient, hydraulic Parallel-Link System moves the grass collector vertically, allowing consistent, no-spill dumping at variable heights (0.9 m~1.8 m). Adjusting the system downward permits unloading under trees or other obstacles, while adjusting it upward to its maximum height of 1.8 m lets you unload into truck trays.

finish the day's job faster so you can be

Quick Clean System

Our Quick Clean System raises productivity by making it a snap to clear even wet grass without leaving the driver's seat. Simply use the lever to easily clear a path to the grass collector.



To clean the rear of the duct

Deck cleaning pipe for connecting water hose

Large Capacity Fuel Tank

Requiring less stoppage for refueling, our large-volume, 20-litre fuel tank will keep you operating longer. Combine this with our fuel-efficient, high-torque diesel engine, and you've got the makings for a healthier bottom-line profit.

Deep Profile Mower Deck

Equipped with a deep mower deck (123.4 mm inner), the GZD15 zero-turn mower cuts faster—in fact, even tall, thick, or wet grass is no challenge.

Compact and Low Cost

The GZD15's compact and lightweight design makes it one of the easiest mowers to transport. And, loaded with cost-efficient features, it's sure to increase your profit by keeping overheads down.

Kubota Diesel Engine

Amazingly rugged and dependable, the GZD15 zero-turn mower's fuel-efficient, 2-cylinder diesel engine lets you run longer with less fuel. Plus, the engine's 15-horsepower rating gives it the brawn to run smoothly for extended periods—while handling even tough jobs.



more productive.

Endurance

Keeps costs low with rugged, trouble-free operation.

Shaft-Drive Mower

When it comes to drives, nothing is more enduring than shaft. That's why when we created the mid-mount mowing unit of our GZD15 zero-turn mower, we made sure it would be powered by an amazingly reliable and quiet shaft drive.



Shaft-Drive Transmission

We didn't stop at just a shaft-drive mower either—for a smoother, quieter, maintenance-free final drive, you can also depend on Kubota's high-volume, shaft-driven HST transmission. Power is transmitted directly from the engine to the HST via a shaft, and from the HST to the tyres by means of a gear train.

Wet Disc Clutch & Brakes

Our incomparable wet-type, multi-disc clutch is so durable, it'll outlast most others. While our wet-type, single-disc brake provides incredible stopping power for safer operation.



Ergonomics

Smooth and comfortable operation for less fatigue.

Independent Steering Levers

Its independent left and right steering levers operate with a light touch to provide the GZD15 zero-turn mower with amazing nimbleness—including a 360-degree turning radius.



Pedal-Type Brakes

For increased safety, the GZD15's brake pedal enables quick, emergency stopping from just a light touch, to a parking brake by depressing it fully downward.




Cutting Adjustment Dial

Cutting height can be quickly adjusted by simply twisting the height adjustment dial, which is located within easy reach of the operator's seat. Fine adjustments (1/4-inch increments between 1.0 to 4.0 inches, and 1/2-inch increments between 4.0 to 5.0 inches) are also possible.



Low Centre of Gravity

With a bulldog-like stance and a low sitting position, the GZD15's low centre of gravity enhances stability.



Specifications

| | | |
|------------------------|------------------------|-----------------------------------------------------|
| Model | | GZD15-HD |
| Engine | Model | Kubota Z602 |
| | Fuel type | Diesel Liquid-cooled (2 cyl.) |
| | Displacement | 599 cc (36.5 cu. in.) |
| | Power | 11.2 kw (15 HP) |
| | Fuel capacity | 20 ℓ |
| | Battery | 12V (450 CCA) |
| | Alternator | 15 Amps |
| | Tractor | Mower position |
| Front axle pivot | | Standard |
| Type | | 4 Wheels-2WD |
| Tyre size Front/Rear | | 15×6.0-6 / 20.0×10-8 |
| Tread Front | | 770 mm |
| Rear | | 950/850 mm 2 positions |
| Wheel base | | 1285 mm |
| Overall Length | | 2785 mm |
| Overall Width | | 1200 mm |
| Overall Height | | 1345 mm |
| Weight (w/mower & GC) | | 540 kg |
| Drive Train | Speed Front/Rear | 0-13.5 km/h / 0-10 km/h |
| | T/M drive system | Shaft drive |
| | Mower drive system | Shaft drive |
| | Drive system | 2-HST |
| | Steering style | 2-Hand Levers |
| | Parking brake | Wet multi-discs, Mechanical equalising brake system |
| | Turning radius | 0 m |
| PTO | PTO clutch | Hydraulic Wet Multi Discs |
| | PTO brake | Hydraulic Wet Single Disc |
| Mower | Cutting width | 1067 mm |
| | Lift system | Hydraulic |
| | Mount system | Parallel Linkage |
| | Blade drive system | Hex belt, gear |
| | Cutting height | 25-102 mm (6 mm), 102-127 mm (13 mm) |
| | Cutting height adj. | Dial |
| | Max. Mower lift height | 135 mm |
| No. of blades | 2 | |
| Grass Collector | Type | High dump/Hydraulic |
| | Capacity | 400 ℓ |
| | Lift height (MAX) | 1.8 m |

The company reserves the right to change the above specifications without notice.
This brochure is for descriptive purpose only. Please contact your local Kubota dealer for warranty information.

©2005 Kubota Corporation



KUBOTA Tractor Australia Pty Ltd

100 Keilor Park Drive, Tullamarine Vic., 3043
 Freecall: 1800 334 653
 Email: sales@kubota.com.au
 Web Site: <http://www.kubota.com.au>

